




食品和饮料行业专用
Food and Beverage



针对食品及饮用水加工行业的产品 Products for food industry and for drinking water



ISO 6432 不锈钢气缸, 缸径: 16 至 25 mm

ISO 6432 stainless steel cylinders, diameters from 16 to 25 mm



ISO 15552 气缸系列 HCR, 高强度耐腐蚀, 缸径: 32 至 125mm

ISO 15552 cylinders Series HCR, High Corrosion Resistance, diameters from 32 to 125 mm



ISO 15552 不锈钢气缸, 缸径: 32 至 125 mm

ISO 15552 stainless steel cylinders, diameters from 32 to 125 mm



针对饮用水行业的调压阀, BIT 系列 F, 1/8" 和 1/4" 接口

Pressure regulators for drinking water, BIT Series F, 1/8" and 1/4" connections



圆形不锈钢气缸, 缸径: 32 至 63 mm

Round stainless steel cylinders, diameters from 32 to 63 mm



电磁阀阀岛 (飞溅区域适用), HDM 和 EB80 系列, 可配置 4 至 16 片电磁阀

Solenoid valve islands for Splash area, Series HDM, EB 80 from 4 to 16 solenoid valves



自锁式快插接头, 无铅黄铜材质, F系列, 用于管径: $\varnothing 4$ 至 $\varnothing 10$ mm, 螺纹尺寸: M5 至 1/2"

Automatic fittings in unleaded brass Series F, tubes from $\varnothing 4$ to 10 mm, threads from M5 to 1/2"



快拧式接头, AISI316 不锈钢材质, 用于管径: $\varnothing 6$ 至 $\varnothing 10$ mm; 螺纹尺寸: 1/8" 至 1/2"

Push on fittings in AISI316 stainless steel, tubes from $\varnothing 6$ to $\varnothing 10$ mm, threads from 1/8" to 1/2"



自锁式快插接头, 无铅黄铜材质, F-E PLUS 和 F-NSF PLUS系列, 用于管径: $\varnothing 4$ 至 $\varnothing 10$ mm, 螺纹尺寸: M5 至 1/2"

Automatic fittings in unleaded brass Series F-E PLUS and F-NSF PLUS, tubes from $\varnothing 4$ to 10 mm, threads from M5 to 1/2"



节流阀, AISI316 不锈钢材质, 螺纹尺寸 1/8" 至 1/2"

Flow regulators in AISI316 stainless steel, threads from 1/8" to 1/2"



自锁式快插接头, AISI316 不锈钢材质, 用于管径: $\varnothing 4$ 至 $\varnothing 12$ mm, 螺纹尺寸: M5 至 1/2"

Automatic fittings in AISI316 stainless steel, tubes from $\varnothing 4$ to 12 mm, threads from M5 to 1/2"



特殊气缸, 不锈钢材质

Special cylinders in stainless steel



标准接头, AISI316 不锈钢材质, 螺纹尺寸: 1/8" 至 1/2"

Standard fittings in AISI316 stainless steel, threads from 1/8" to 1/2"



认证 / CERTIFICATIONS:

- CE 98/83	- NSF
- CE 1935/2004	- WRAS
- CE 10/2011	- ROHS
- DVGW	

